Caring for Goats

Location



Preparation



Maintenance

Maintenance

KEY MESSAGES

Location:
Shelter, (fenced if possible) in semi-shaded place, dry, with trees around. Level of shelter height is around 1 to 1.5 meters.

Preparation:
Materials Needed:
1. Rope to tie up goat if the owner is away.
2. Feeding trough
3. Water trough

Maintenance:
Feeding the goats daily and checking goat health for disease.

Mating:
1 male per 10 females e.g. 1 male can mate with 30 to 40 females, the age of male/ female parents should not be lower than 6 months.

MAXWELL STAMP PLC
SPSL Social Protection and Sustainable Livelihoods
Australian Aid
HANDICAP INTERNATIONAL

ການດູແລຮັກສາແບ້



ຂໍ້ຄວາມສຳຄັນ

ສະຖານທີ່:
ຄອກ, (ໃຫ້ອ້ອມຮົ້ວຖ້າເປັນໄປໄດ້) ໃນ ສະຖານທີ່ ທີ່ມີຮົ່ມເງົາ, ແຫ້ງ, ພ້ອມດ້ວຍ ຕົ້ນໄມ້ ອ້ອມຮອບ. ລະດັບສູງ ຂອງຄອກ ແມ່ນ ປະມານ 1 ຫາ 1.5 ແມັດ.

ການກະກຽມ:
ວັດສະດຸທີ່ຈຳເປັນ:
1.ເຊືອກ ເພື່ອມັດ ແບ້ ຖ້າອ່າເຈົ້າຂອງບໍ່ຢູ່.
2.ຮາງ ໃຫ້ອາຫານ
3.ຮາງ ໃຫ້ນ້ຳ

ການດູແລຮັກສາ:
ໃຫ້ອາຫານ ແບ້ ທຸກມື້ ແລະ ກວດເບິ່ງ ສຸຂະພາບ ພະຍາດ ຂອງ ແບ້.

ການປະສົມພັນ:
ໂຕຜູ້ 1 ໂຕ ຕໍ່ ໂຕແມ່ 10 ໂຕ, ຕົວຢ່າງ: ໂຕຜູ້ 1 ສາມາດ ປະສົມພັນ ກັບໂຕແມ່ 30 ຫາ 40 ໂຕ, ອາຍຸ ຂອງ ພໍ່/ແມ່ ພັນ ຄວນບໍ່ໃຫ້ໜຸດ 6 ເດືອນ.

MAXWELL STAMP PLC
SPSL Social Protection and Sustainable Livelihoods
Australian Aid
HANDICAP INTERNATIONAL

Goats Associated Risks







GOATS – ASSOCIATED RISKS

Accidents, Roaming Goats and Theft:
Build a fenced area and tie the goat up with rope to keep it from getting away.

Disease:
Treat your goats with herbs and medicines as soon as you see first signs of illness.

Malnutrition:
Grow specific forage (stylo, guinea sianensis, peanuts) and let the goats regularly graze them.

MAXWELL STAMP PLC
SPSL Social Protection and Sustainable Livelihoods
Australian Aid
HANDICAP INTERNATIONAL

ປ້ອງ ກ່ຽວກັບຄວາມສ່ຽງ ໃນການລ້ຽງແບ້:







ແບ້ – ຄວາມສ່ຽງທີ່ກ່ຽວຂ້ອງ

ການຖືກອຸບັດຕິເຫດ, ການໜີຫຼົ້ງໄປ ແລະ ການຖືກລັກ:
ເຮັດຮົ້ວອ້ອມ ພື້ນທີ່ລ້ຽງສັດ ແລະ ມັດແບ້ ດ້ວຍເຊືອກ ເພື່ອບໍ່ໃຫ້ແບ້ໜີໄປ.

ພະຍາດ:
ປິ່ນປົວ ແບ້ຂອງທ່ານ ດ້ວຍ ຢາສະໝຸນໄພ ແລະ ຢາຫຼວງ ໄວເທົ່າທີ່ໄວໄດ້ ເມື່ອທ່ານເຫັນ ອາການປ່ວຍເບື້ອງຕົ້ນ.

ການຂາດອາຫານ:
ປຶກສາກັບ ຜູ້ຊ່ວຍທີ່ມີປະສົບການ ເພື່ອເຂົ້າໃຈ ຄວາມຕ້ອງການອາຫານ + ປູກຫຍ້າສະເພາະ ທີ່ເປັນອາຫານສັດ (ຖົ່ວສະໄຕໂລ., ຫຍ້າ guinea sianensis, ແລະ ຖົ່ວ) ແລະ ປ່ອຍໃຫ້ແບ້ ກິນອາຫານພວກເຂົາເປັນປົກກະຕິ.

MAXWELL STAMP PLC
SPSL Social Protection and Sustainable Livelihoods
Australian Aid
HANDICAP INTERNATIONAL